UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,435	04/09/2004	Prasanna J. Satarasinghe	043395-0378353	1235
	7590 09/21/200 rop Shaw Pittman LLF	EXAMINER		
P.O. Box 10500			LANIER, BENJAMIN E	
McLean, VA 22102			ART UNIT	PAPER NUMBER
			2432	
			MAIL DATE	DELIVERY MODE
			09/21/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/821,435	SATARASINGHE ET AL.	
Office Action Summary	Examiner	Art Unit	
	BENJAMIN E. LANIER	2432	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by stature Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on <u>07</u> . 2a) This action is FINAL . 2b) This action for alloward closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4) Claim(s) 1-11 and 13-20 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-11 and 13-20 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration.		
9)☐ The specification is objected to by the Examin	er.		
10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	e drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate	

Application/Control Number: 10/821,435 Page 2

Art Unit: 2432

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07 July 2009 has been entered.

Response to Amendment

2. Applicant's amendment filed 07 July 2009 amends claims 1, 13, 14, 19, and 20. Claim 12 has been cancelled. Applicant's amendment has been fully considered and entered.

Response to Arguments

3. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.

Application/Control Number: 10/821,435

Art Unit: 2432

2. Ascertaining the differences between the prior art and the claims at issue.

- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Page 3

6. Claims 1-6, 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lupper, U.S. Publication No. 2003/0171112, in view of Chang, U.S. Patent No. 6,715,082, in view of Borgelt, U.S. Patent No. 5,398,285, and further in view of Challener, U.S. Patent No. 6,470,454. Referring to claims 1, 13, Lupper discloses a generic WLAN architecture wherein a subscriber name and password are obtained from the subscriber and compared to locally available subscriber data records ([0078]), which meets the limitation of creating a password for a client, storing the password and identification information of the client on a public wireless local area network. The subscriber name and password are compared with the data records to determine whether the subscriber can use services in the local area network ([0080]), which meets the limitation of utilizing the password and the client identity information to authenticate the client in the public wireless local area network. Lupper does not disclose that the passwords are one-time entropy passwords. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use one-time entropy passwords in the WLAN of Lupper in order to reduce the security risks that are introduced from using fixed user information by using single use passwords that cannot be reused by an intruder as taught by Chang (Col. 2, lines 12-24). Lupper and Chang do not specify passwords that are generated using an identifier, encryption key, and a character string. Borgelt discloses passwords generated utilizing an identifier (Figure 2, 200), encryption key (Figure 2, 202), and a software code (Figure 2, 201). It would have been obvious to one of ordinary skill in the art at the time the invention was made to generate the passwords of Lupper, as modified with Chang, with an identifier, key, and addition

character string, in order to utilize passwords that are unique to users and not easily obtainable as taught by Borgelt (Col. 2, lines 7-11). Lupper, Change, and Borgelt do not disclose hashing the calculation to generate the password by converting non-alphanumerics to alphanumerics.

Challener discloses generating passwords by calculating a hash value and converting all non-alphanumerics to alphanumerics (Col. 4, line 24 & Col. 5, lines 10-15), which meets the limitation of creating comprises calculating a hash value using SHA-1 hashing process, comprising a plurality of octet values and subsequently converting any non-alphanumeric octet values of the plurality of octet values of the hash value into an alphanumeric octet value. It would have been obvious to one of ordinary skill in the art at the time the invention was made to hash the calculation of Borgelt and convert the hash into alphanumerics in order to provide a simple, yet very effective way to manage security passwords for a population of centrally-managed computers as taught by Challener (Col. 4, lines 27-30, 39-41).

Referring to claim 2, Lupper discloses utilizing the RADIUS protocol ([0083]), which meets the limitation of the authentication is provide by a Remote Authentication Dial-In User Server (RADIUS) server.

Referring to claims 3-5, Lupper discloses that authentication includes utilizing a SIM card in communications with a server ([0092]), which meets the limitation of authenticating the client by a server associated with said WPAN based on a smart card/universal subscriber identity module card/subscriber identity module card.

Referring to claim 6, Lupper discloses that a database exists for billing purposes with respect to the services ([0080]), which meets the limitation of modifying accounting data from the public wireless local area network to include charging data record fields for the client.

Referring to claim 14, Lupper discloses a generic WLAN architecture wherein a subscriber name and password are obtained from the subscriber and compared to locally available subscriber data records ([0078]), which meets the limitation of a first adapter for generating a password for the client. The subscriber name and password are compared with the data records to determine whether the subscriber can use services in the local area network ([0080]). Authentication is performed by a RADIUS server ([0051]), which meets the limitation of wherein the password is used for authenticating the client by a Remote Authentication Dial-In User Service (RADIUS) server. Lupper discloses that authentication includes utilizing a SIM card in communications with a server ([0092]), which meets the limitation of a smart card for a client. Lupper does not disclose that the passwords are one-time passwords. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use one-time entropy passwords in the WLAN of Lupper in order to reduce the security risks that are introduced from using fixed user information by using single use passwords that cannot be reused by an intruder as taught by Chang (Col. 2, lines 12-24). Lupper and Chang do not specify passwords that are generated using an identifier, encryption key, and a character string. Borgelt discloses passwords generated utilizing an identifier (Figure 2, 200), encryption key (Figure 2, 202), and a software code (Figure 2, 201). It would have been obvious to one of ordinary skill in the art at the time the invention was made to generate the passwords of Lupper, as modified with Chang, with an identifier, key, and addition character string, in order to utilize passwords that are unique to users and not easily obtainable as taught by Borgelt (Col. 2, lines 7-11). Lupper and Chang do not specify passwords that are generated using an identifier, encryption key, and a character string. Borgelt discloses passwords generated utilizing an identifier (Figure 2, 200),

encryption key (Figure 2, 202), and a software code (Figure 2, 201). It would have been obvious to one of ordinary skill in the art at the time the invention was made to generate the passwords of Lupper, as modified with Chang, with an identifier, key, and addition character string, in order to utilize passwords that are unique to users and not easily obtainable as taught by Borgelt (Col. 2, lines 7-11). Lupper, Change, and Borgelt do not disclose hashing the calculation to generate the password by converting non-alphanumerics to alphanumerics. Challener discloses generating passwords by calculating a hash value and converting all non-alphanumerics to alphanumerics (Col. 4, line 24 & Col. 5, lines 10-15), which meets the limitation of creating comprises calculating a hash value using SHA-1 hashing process, comprising a plurality of octet values and subsequently converting any non-alphanumeric octet values of the plurality of octet values of the hash value into an alphanumeric octet value. It would have been obvious to one of ordinary skill in the art at the time the invention was made to hash the calculation of Borgelt and convert the hash into alphanumerics in order to provide a simple, yet very effective way to manage security passwords for a population of centrally-managed computers as taught by Challener (Col. 4, lines 27-30, 39-41).

Referring to claim 15, Lupper discloses that authentication includes utilizing a SIM card in communications with a server ([0092]), which meets the limitation of a second adapter for authenticating the client by a second server based on the smart card.

7. Claims 7-11, 16, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lupper, U.S. Publication No. 2003/0171112, in view of Chang, U.S. Patent No. 6,715,082, in view of Borgelt, U.S. Patent No. 5,398,285, and in further view of Lupien, U.S. Patent No. 6,463,055. Referring to claims 7-9, 16, Lupper does not disclose where or how the passwords are

generated. Lupien discloses a wireless network authentication system wherein a password is generated at a first station and compared with a password generated by a mobile terminal using the IMSI of the mobile terminal to authenticate the mobile terminal to access the network (Col. 10, line 56 – Col. 11, line 10), which meets the limitation of creating is independently performed by each of two entities, creating comprises utilizing international mobile subscriber identity (IMSI) of the client, creating comprises utilizing a pseudonym of the client, the first and second adapters reside on separate devices, a fourth adapter for generating the password for the client. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute the password of Lupper with the password of Lupien because such a modification would have yielded the predictable result of mobile terminal authentication.

Referring to claims 10-11, Lupper does not disclose where or how the passwords are generated. Lupien discloses a wireless network authentication system wherein a password is generated utilizing cipher keys (Col. 10, lines 58-61), which meets the limitation of creating comprises utilizing Point-to-Point Encryption Send-Key/Recv-Key. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute the password of Lupper with the password of Lupien because such a modification would have yielded the predictable result of mobile terminal authentication.

8. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lupper, U.S. Publication No. 2003/0171112, in view of Chang, U.S. Patent No. 6,715,082, in view of Borgelt, U.S. Patent No. 5,398,285, and in further view of Kalavade, U.S. Publication No. 2003/0051041. Referring to claim 17, Lupper discloses utilizing RADIUS and GPRS environments but does not disclose modifying RADIUS accounting data to generate GPRS accounting data. Kalavade

discloses modifying RADIUS accounting data to generate GPRS accounting data ([0233]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify RADIUS accounting information in Lupper to generate GPRS accounting information in order to provide combined LAN/WAN based authentication on a single account and receive a single bill as taught by Kalavade ([0063]-[0066]).

9. Claims 19, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lupper, U.S. Publication No. 2003/0171112, in view of Chang, U.S. Patent No. 6,715,082, in view of Lupien, U.S. Patent No. 6,463,055, in view of Borgelt, U.S. Patent No. 5,398,285, in view of Challener, U.S. Patent No. 6,470,454, and further in view of Kalavade, U.S. Publication No. 2003/0051041. Referring to claims 19, 20, Lupper discloses a generic WLAN architecture wherein a subscriber name and password are obtained from the subscriber and compared to locally available subscriber data records ([0078]), which meets the limitation of creating a password for a client, storing the password and identification information on a RADIUS server. The subscriber name and password are compared with the data records to determine whether the subscriber can use services in the local area network ([0080]). Authentication is performed by a RADIUS server ([0051]), which meets the limitation of utilizing the password and the identification information to authenticate the client on the RADIUS server. Lupper discloses that authentication includes utilizing a SIM card in communications with a server ([0092]), which meets the limitation of a smart card for a client. Lupper does not disclose that the passwords are one-time passwords. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use one-time entropy passwords in the WLAN of Lupper in order to reduce the security risks that are introduced from using fixed user information by using

single use passwords that cannot be reused by an intruder as taught by Chang (Col. 2, lines 12-24). Chang does not disclose generating the one-time passwords using client identification information. Lupien discloses a wireless network authentication system wherein a password is generated at a first station and compared with a password generated by a mobile terminal using the IMSI of the mobile terminal to authenticate the mobile terminal to access the network (Col. 10, line 56 – Col. 11, line 10), which meets the limitation of creating a password for a client based on identification information of the client. It would have been obvious to one of ordinary skill in the art at the time the invention was made to generate the one-time passwords suggested by Chang using the user identification information of Lupper because such a modification would have yielded the predictable result of mobile terminal authentication. Lupper and Chang do not specify passwords that are generated using an identifier, encryption key, and a character string. Borgelt discloses passwords generated utilizing an identifier (Figure 2, 200), encryption key (Figure 2, 202), and a software code (Figure 2, 201), which meets the limitation of an encryption key provided by the WPAN, and a text character string, the encryption key provided by the WPAN is Point-to-Point Encryption Send-Key. It would have been obvious to one of ordinary skill in the art at the time the invention was made to generate the passwords of Lupper, as modified with Chang, with an identifier, key, and addition character string, in order to utilize passwords that are unique to users and not easily obtainable as taught by Borgelt (Col. 2, lines 7-11). Lupper, Change, and Borgelt do not disclose hashing the calculation to generate the password by converting non-alphanumerics to alphanumerics. Challener discloses generating passwords by calculating a hash value and converting all non-alphanumerics to alphanumerics (Col. 4, line 24 & Col. 5, lines 10-15), which meets the limitation of creating comprises

calculating a hash value using SHA-1 hashing process, comprising a plurality of octet values and subsequently converting any non-alphanumeric octet values of the plurality of octet values of the hash value into an alphanumeric octet value. It would have been obvious to one of ordinary skill in the art at the time the invention was made to hash the calculation of Borgelt and convert the hash into alphanumerics in order to provide a simple, yet very effective way to manage security passwords for a population of centrally-managed computers as taught by Challener (Col. 4, lines 27-30, 39-41). Lupper discloses utilizing RADIUS and GPRS environments but does not disclose modifying RADIUS accounting data to generate GPRS accounting data. Kalavade discloses modifying RADIUS accounting data to generate GPRS accounting data ([0233]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify RADIUS accounting information in Lupper to generate GPRS accounting information in order to provide combined LAN/WAN based authentication on a single account and receive a single bill as taught by Kalavade ([0063]-[0066]).

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN E. LANIER whose telephone number is (571)272-3805. The examiner can normally be reached on M-Th 7:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/821,435 Page 11

Art Unit: 2432

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Benjamin E Lanier/
Primary Examiner, Art Unit 2432